

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024 Reviewed on 03/14/2024

1 Identification

- · Product Identifier
- · Trade Name: HR® Lubricating Jelly
- Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

- · Product Description: Personal/professional (clinical) lubricant.
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:

HR HealthCare 2600 Eastern Blvd.

Suite 201

York, PA 17402 Phone: 877-302-1110 Fax: 717-685-2590 www.hrhealthcare.com

· Emergency telephone number: (877) 302-0111

2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

0 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0

REACTIVITY O Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Substance
- · Description: Mixture of substances listed below with non-hazardous additions.

Dangerous Components:		
CAS: 57-55-6 RTECS: TY 2000000	Propylene Glycol	5-10%
	Hydroxypropyl Methylcellulose	≤ 2.5%

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024 Reviewed on 03/14/2024

Trade Name: HR® Lubricating Jelly

4 First-Aid Measures

- · Description of first aid measures
- General information: No special measures required.
- · After inhalation: Not a normal route of entry.
- · After skin contact: Generally, the product does not irritate the skin.
- After eye contact:

Flush eyes with plenty of 1% physiological saline solution. If no saline is available, flush with copious amounts of water.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture:

If involved in a fire, the packaging materials may produce poisonous gas.

- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Product is slippery when spilled.

- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· PAC-1:		
57-55-6	Propylene Glycol	30 mg/m³
1310-73-2 Sodium Hydroxide		0.5 mg/m³
· PAC-2:		
57-55-6	Propylene Glycol	1,300 mg/m³
1310-73-2	2 Sodium Hydroxide 5 m	
· PAC-3:		
57-55-6	Propylene Glycol	7,900 mg/m ³
1310-73-2	Sodium Hydroxide	50 mg/m³
		(Contd. on nage

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024 Reviewed on 03/14/2024

Trade Name: HR® Lubricating Jelly

7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special measures required.
- · Information about protection against explosions and fires:

If involved in a fire, the packaging materials may produce poisonous gas.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in the original container.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: No further relevant information.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituents have no known exposure limits.

57-55-6 Propylene Glycol

WEEL Long-term value: 10 mg/m³

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Material of gloves: Not required.
- · Penetration time of glove material: Not applicable.
- · Eye protection: Not required.

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Gel

Color: Translucent
Odor: Odorless
Odor threshold: Not determined.

• **pH-value:** 5.6-6.7

Change in condition

Melting point/Melting range:
 Boiling point/Boiling range:
 Not determined.

· Flash point: None

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024 Reviewed on 03/14/2024

Trade Name: HR® Lubricating Jelly

Flammability (solid, gaseous): Not applicable.
 Decomposition temperature: Not determined.

· *Ignition temperature:* Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

Vapor pressure: Not determined.

• **Density @ 20 °C (68 °F):** 1.01 g/cm³ (8.4285 lbs/gal)

Relative density: Not determined.
 Vapor density: Not determined.
 Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided:

If involved in a fire, the packaging materials may produce poisonous gas.

- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

· LD/LC50 v	values that are	at are relevant for classification:				
57-55-6 Pı	-6 Propylene Glycol					
Oral	LD50	20000 mg/kg (Rat)				
Dermal	LD50	20800 mg/kg (rabbit)				
Inhalative	LC50/96 hours	52930 mg/l (Pimephales)				
	Intravenous	6630 mg/kg (mouse)				
		6423 mg/kg (Rat)				
		6500 mg/kg (rabbit)				
	57-55-6 Properties of the Oral Dermal	57-55-6 Propylene Glyco Oral LD50 Dermal LD50 Inhalative LC50/96 hours	Dermal LD50 20800 mg/kg (rabbit) Inhalative LC50/96 hours 52930 mg/l (Pimephales) Intravenous 6630 mg/kg (mouse) 6423 mg/kg (Rat)			

- · Primary irritant effect:
- · On the skin: No irritating effect.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024 Reviewed on 03/14/2024

Trade Name: HR® Lubricating Jelly

- On the eye: No irritating effect.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

57-55-6 Propylene Glycol

EC50 >10000 mg/l (Daphnia)

- Persistence and degradability: No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

14 Transport Information

· UN-Number:

DOT, ADN, IMDG, IATA:
 ADR/ADN:
 Non-Regulated Material.
 Non-Regulated Material.
 Non-Regulated Material.

· UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA: Non-Regulated Material.

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA:

· Class: Non-Regulated Material.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024 Reviewed on 03/14/2024

Trade Name: HR® Lubricating Jelly

· Packing group:

Non-Regulated Material. · DOT, ADR/ADN, IMDG, IATA:

· Environmental hazards: Not applicable. Not applicable. · Special precautions for user:

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

Non-Regulated Material. · UN "Model Regulation":

5 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture: No further relevant information available.
- · SARA (Superfund Amendments and Reauthorization):

ornor (Superium rimenum uma resultantin).				
· Section 355 (extremely hazardous substances):				
None of the ingredients are listed.				
· Section 313 (Specific toxic chemical listings):				
None of the ingredients are listed.				
· TSCA (Toxic Substances Control Act):				
57-55-6	Propylene Glycol			
9004-65-3	Hydroxypropyl Methylcellulose			
1310-73-2	Sodium Hydroxide			
7732-18-5	Water, distilled water, deionized water			
· Hazardous Air Pollutants				
None of the ingredients are listed.				

- · California Proposition 65:
- Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

57-55-6 Propylene Glycol

1310-73-2 Sodium Hydroxide

· New Jersey Special Hazardous Substance List:

1310-73-2 Sodium Hydroxide

CO, R1

· Pennsylvania Right-to-Know List:

57-55-6 Propylene Glycol

1310-73-2 Sodium Hydroxide

Pennsylvania Special Hazardous Substance List:

1310-73-2 Sodium Hydroxide

Ε

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024 Reviewed on 03/14/2024

Trade Name: HR® Lubricating Jelly

· Carcinogenic categories:

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

- · GHS label elements Non-Regulated Material.
- · Hazard pictograms: Non-Regulated Material.
- Signal word: Non-Regulated Material.
- · Hazard statements: Non-Regulated Material.

· National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106